

CERTIFICATE OF ANALYSIS



IDENTIFICATION:

PRODUCT NAME: Gelato #33

PRODUCT DESIGNATION: Proprietary Terpene Blend - Flavor Infused Terpene Strain Profile

TT PRODUCT #: TTP-ID-G33-R1

LOT #: T107057

INTENDED FOR USE BY: April 2022

CAS #: Mixture

EC #: Mixture

PARAMETER:	SPECIFICATION:	RESULT:
APPEARANCE:	Clear, to colorless pale yellow liquid	Clear, to colorless pale yellow liquid
ODOR:	Fruit, Berry, Sweet, Earth, Wood	Fruit, Berry, Sweet, Earth, Wood

Additional Product Information:

Storage Conditions: Stable when stored in its original container securely tightened and away from heat, open flames, sunlight, combustible materials and hot surfaces. Store in a cool, dry, and well-ventilated place.

TRACE CONTAMINANT LEVELS:

Test Type: Heavy Metals

Contaminant Name	Max. Allowed (ppm)	Test Result	Contaminant Name	Max. Allowed (ppm)	Test Result
Arsenic	0.2	PASSED	Cadmium	0.2	PASSED
Lead	0.5	PASSED	Mercury	0.1	PASSED

Test Type: Pesticide

Contaminant Name	Max. Allowed (ppm)	Test Result	Contaminant Name	Max. Allowed (ppm)	Test Result
Abamectin	0.07	PASSED	Acephate	0.1	PASSED
Acequinocyl	0.1	PASSED	Acetamiprid	0.1	PASSED
Aldicarb	0.4	PASSED	Azoxystrobin	0.02	PASSED
Bifenazate	0.02	PASSED	Bifenthrin	0.1	PASSED
Boscalid	0.1	PASSED	Captan	0.7	PASSED

CERTIFICATE OF ANALYSIS



Test Type: Pesticide

Contaminant Name	Max. Allowed (ppm)	Test Result	Contaminant Name	Max. Allowed (ppm)	Test Result
Carbaryl	0.2	PASSED	Carbofuran	0.2	PASSED
Chlorantraniliprole	0.2	PASSED	Chlordane	0.1	PASSED
Chlorfenapyr	0.2	PASSED	Chlorpyrifos	0.2	PASSED
Clofentezine	0.1	PASSED	Coumaphos	0.1	PASSED
Cyfluthrin	1	PASSED	Cypermethrin	1	PASSED
Daminozide	0.10	PASSED	DDVP (Dichlorvos)	0.1	PASSED
Diazinon	0.1	PASSED	Dimethoate	0.2	PASSED
Dimethomorph	2	PASSED	Ethoprophos	0.2	PASSED
Etofenprox	0.4	PASSED	Etoxazole	0.1	PASSED
Fenhexamid	0.1	PASSED	Fenoxycarb	0.2	PASSED
Fenpyroximate	0.1	PASSED	Fipronil	0.4	PASSED
Flonicamid	0.1	PASSED	Fludioxonil	0.1	PASSED
Hexythiazox	0.1	PASSED	Imazalil	0.10	PASSED
Imidacloprid	0.02	PASSED	Kresoxim-methyl	0.1	PASSED
Malathion	0.2	PASSED	Metalaxyl	0.2	PASSED
Methiocarb	0.2	PASSED	Methomyl	0.4	PASSED
Methyl-Parathion	0.2	PASSED	Mevinphos	0.1	PASSED
MGK-264	0.2	PASSED	Myclobutanil	0.04	PASSED
Naled	0.2	PASSED	Oxamyl	0.5	PASSED
Paclobutrazol	0.10	PASSED	Pentachloronitrobenzene	0.1	PASSED
Permethrins	0.04	PASSED	Phosmet	0.1	PASSED
Piperonyl Butoxide	2	PASSED	Prallethrin	0.1	PASSED
Propiconazole	0.1	PASSED	Propoxur	0.2	PASSED
Pyrethrins	0.5	PASSED	Pyridaben	0.1	PASSED
Spinetoram	0.1	PASSED	Spinosad	0.06	PASSED
Spiromesifen	0.03	FAILED	Spiromesifen	0.03	PASSED
Spirotetramat	0.02	PASSED	Spiroxamine	0.4	PASSED
Tebuconazole	0.01	PASSED	Thiacloprid	0.2	PASSED
Thiamethoxam	0.2	PASSED	Trifloxystrobin	0.1	PASSED

CERTIFICATE OF ANALYSIS



Test Type: Residual Solvent

Contaminant Name	Max. Allowed (ppm)	Test Result	Contaminant Name	Max. Allowed (ppm)	Test Result
1,2-Dichloroethane	1.0	PASSED	1,4-Dioxane	380	PASSED
1-Butanol	5000	PASSED	1-Pentanol	5000	PASSED
1-Propanol	5000	PASSED	2,2-Dimethylbutane	50	PASSED
2,3-Dimethylbutane	50	PASSED	2-Butanol	5000	PASSED
2-Butanone	5000	PASSED	2-Ethoxyethanol	160	PASSED
2-Methylbutane	750	PASSED	2-Methylpentane	50	PASSED
2-Methylpropane (Isobutane)	800	PASSED	2-Propanol (IPA)	500	FAILED
2-Propanol (IPA)	500	PASSED	3-Methylpentane	50	PASSED
Acetone	750	PASSED	Acetonitrile	60	PASSED
Benzene	1.0	PASSED	Butane	500	PASSED
Chloroform	1.0	PASSED	Cumene (Isopropyl Benzene)	70	PASSED
Cyclohexane	3880	PASSED	Dimethyl Sulfoxide (DMSO)	5000	PASSED
Ethanol	1000	PASSED	Ethyl Acetate	400	PASSED
Ethyl Ether	500	PASSED	Ethylbenzene	150	PASSED
Ethylene Glycol	620	PASSED	Ethylene Oxide	1.0	PASSED
Heptane	500	PASSED	Isopropyl Acetate	60	FAILED
Isopropyl Acetate	60	PASSED	m-Xylene and p-Xylene	150	PASSED
Methanol	250	PASSED	Methylene Chloride	1.0	PASSED
N,N-Dimethylacetamide	880	PASSED	N,N-Dimethylformamide	880	PASSED
n-Hexane	50	PASSED	Naphtha	400	FAILED
Naphtha	400	PASSED	Neopentane	750	PASSED
o-Xylene	150	PASSED	Pentane	750	PASSED
Petroleum Ether	400	FAILED	Petroleum Ether	400	PASSED
Propane	500	FAILED	Propane	500	PASSED
Pyridine	200	PASSED	Tetrahydrofuran	720	PASSED
Toluene	150	PASSED	Total Residual Solvents	5000	FAILED
Total Residual Solvents	5000	PASSED	Trichloroethylene	1.0	PASSED
Xylenes	150	PASSED			

Branston Mefferd
Quality Control

CERTIFICATE OF ANALYSIS



Disclaimer: This Certificate of Analysis may contain results provided by contract laboratories external to True Terpenes. This document does not relieve the purchaser from conducting their own tests in order to verify the suitability of this product for its application and to comply with all relevant legal requirements for any goods into which this product is incorporated. Botanically derived and/or synthetic compounds found in this product may contain trace compounds which can potentially result in a slight variance between lots. True Terpenes certifies that this product is not derived from cannabis nor does it contain any cannabinoids or other cannabis-derived extracts.