

CERTIFICATE OF ANALYSIS



IDENTIFICATION:

PRODUCT NAME: Gelato
PRODUCT DESIGNATION: Proprietary Terpene Blend - Terpene Strain Profile
TT PRODUCT ID: TTP-PN-GEL
LOT #: 22081609
INTENDED FOR USE BY: August 2023
CAS #: Mixture
EC #: Mixture
MANUFACTURING DATE: 8/16/2022

| PARAMETER: | SPECIFICATION: | RESULT: |
|---------------------------|----------------------------|----------------------------|
| APPEARANCE: | Clear, light yellow liquid | Clear, light yellow liquid |
| ODOR: | Citrus, Earth, Wood, Gas | Citrus, Earth, Wood, Gas |
| RESIDUAL SOLVENTS: | PASSES TEST | PASSES TEST |
| PESTICIDES: | PASSES TEST | PASSES TEST |
| HEAVY METALS: | PASSES TEST | PASSES TEST |

Additional Product Information:

Storage Conditions: Stable when stored in its original container securely tightened and away from heat, open flames, sunlight, combustible materials and hot surfaces. Store in a cool, dry, and well-ventilated place.

TRACE CONTAMINANT LEVELS:

Test Type: Heavy Metals

| Contaminant Name | Max Allowed (ppm) | Test Result | Contaminant Name | Max Allowed (ppm) | Test Result |
|------------------|-------------------|-------------|------------------|-------------------|-------------|
| Arsenic | 0.2 | <0.0390 ppm | Cadmium | 0.2 | <0.0390 ppm |
| Lead | 0.5 | <0.0471 ppm | Mercury | 0.1 | <0.0195 ppm |

CERTIFICATE OF ANALYSIS



Test Type: Pesticide

| Contaminant Name | Max Allowed (ppm) | Test Result | Contaminant Name | Max Allowed (ppm) | Test Result |
|---------------------|-------------------|-------------|-------------------|-------------------|-------------|
| Abamectin | 0.07 | <0.070 ppm | Acephate | 0.1 | <0.020 ppm |
| Acequinocyl | 0.1 | <0.025 ppm | Acetamiprid | 0.1 | <0.050 ppm |
| Aldicarb | 0.1 | <0.100 ppm | Azoxystrobin | 0.02 | <0.010 ppm |
| Bifenazate | 0.0.2 | <0.010 ppm | Bifenthrin | 0.1 | <0.100 ppm |
| Boscalid | 0.1 | <0.010 ppm | Captan | 0.7 | <0.700 ppm |
| Carbaryl | 0.2 | <0.025 ppm | Carbofuran | 0.01 | <0.010 ppm |
| Chlorantraniliprole | 0.2 | <0.010 ppm | Chlordane | 0.1 | <0.100 ppm |
| Chlorfenapyr | 0.1 | <0.100 | Chlorpyrifos | 0.01 | <0.010 ppm |
| Clofentezine | 0.1 | <0.010 ppm | Coumaphos | 0.01 | <0.010 ppm |
| Cyfluthrin | 1 | <0.400 ppm | Cypermethrin | 1 | <0.300 ppm |
| Daminozide | 0.05 | <0.050 ppm | DDVP (Dichlorvos) | 0.05 | <0.050 ppm |
| Diazinon | 0.1 | <0.010 ppm | Dimethoate | 0.01 | <0.010 ppm |
| Dimethomorph | 2 | <0.050 ppm | Ethoprophos | 0.01 | <0.010 ppm |
| Etofenprox | 0.01 | <0.010 ppm | Etoxazole | 0.1 | <0.010 ppm |
| Fenhexamid | 0.1 | <0.100 ppm | Fenoxycarb | 0.01 | <0.010 ppm |
| Fenpyroximate | 0.1 | <0.020 ppm | Fipronil | 0.01 | <0.010 ppm |
| Flonicamid | 0.1 | <0.025 ppm | Fludioxonil | 0.1 | <0.010 ppm |
| Hexythiazox | 0.1 | <0.010 ppm | Imazalil | 0.01 | <0.010 ppm |
| Imidacloprid | 0.02 | <0.010 ppm | Kresoxim-methyl | 0.1 | <0.010 ppm |
| Malathion | 0.2 | <0.010 ppm | Metalaxyl | 0.2 | <0.010 ppm |
| Methiocarb | 0.01 | <0.010 ppm | Methomyl | 0.4 | <0.025 ppm |

CERTIFICATE OF ANALYSIS



| | | | | | |
|--------------------|------|------------|-------------------------|-------|------------|
| Methyl-Parathion | 0.03 | <0.030 ppm | Mevinphos | 0.025 | <0.025 ppm |
| MGK-264 | 0.2 | <0.050 ppm | Myclobutanil | 0.04 | <0.010 ppm |
| Naled | 0.2 | <0.100 ppm | Oxamyl | 0.5 | <0.500 ppm |
| Paclobutrazol | 0.01 | <0.010 ppm | Pentachloronitrobenzene | 0.1 | <0.100 ppm |
| Permethrins | 0.04 | <0.040 ppm | Phosmet | 0.1 | <0.010 ppm |
| Piperonyl Butoxide | 2 | <0.200 ppm | Prallethrin | 0.1 | <0.050 ppm |
| Propiconazole | 0.1 | <0.010 ppm | Propoxur | 0.01 | <0.010 ppm |
| Pyrethrins | 0.5 | <0.025 ppm | Pyridaben | 0.1 | <0.020 ppm |
| Spinetoram | 0.1 | <0.010 ppm | Spinosad | 0.06 | <0.010 ppm |
| Spiromesifen | 0.03 | <0.030 ppm | Spirotetramat | 0.02 | <0.010 ppm |
| Spiroxamine | 0.01 | <0.010 ppm | Tebuconazole | 0.01 | <0.010 ppm |
| Thiacloprid | 0.01 | <0.010 ppm | Thiamethoxam | 0.2 | <0.010 ppm |
| Trifloxystrobin | 0.1 | <0.010 ppm | | | |

Test Type: Residual Solvent

| Contaminant Name | Max Allowed (ppm) | Test Result | Contaminant Name | Max Allowed (ppm) | Test Result |
|---------------------|-------------------|-------------|-------------------------|-------------------|-------------|
| 1-Butanol | 50 | <5 ppm | 1-Pentanol | 5000 | <500 ppm |
| 1,2-Dichloroethane | 1 | <1 ppm | 1,4-Dioxane | 100 | <1 ppm |
| 1,2-Dimethoxyethane | 5 | <1 ppm | 1-Propanol | 250 | <1 ppm |
| 2,2-Dimethylbutane | 50 | <1 ppm | 2-Propanol (IPA) | 500 | 376.294 ppm |
| 2,2-Dimethylpropane | 750 | <1 ppm | Total Residual Solvents | 5000 | <5000 ppm |
| 2,3-Dimethylbutane | 50 | <1 ppm | 3-Methyl-(1)-Butanol | 500 | <500 ppm |
| 2-Butanol | 100 | <1 ppm | 2-Ethoxyethanol | 5 | <5 ppm |
| 2-Methylpentane | 50 | <1 ppm | 2-Methylbutane | 600 | <1 ppm |
| 3-Methylpentane | 50 | <1 ppm | Acetone | 750 | 20.777 ppm |
| Acetic Acid | 250 | <250 ppm | N,N-Dimethylacetamide | 10 | <7 ppm |
| Acetonitrile | 60 | <1 ppm | Anisole | 5000 | <500 ppm |
| Benzene | 1 | <1 ppm | Butane | 500 | <1 ppm |

CERTIFICATE OF ANALYSIS



| | | | | | |
|----------------------------------|------|----------|-------------------------------|------|-----------|
| Butyl Acetate | 500 | <500 ppm | Chloroform | 1 | <1 ppm |
| Cyclohexane | 300 | <1 ppm | Ethanol | 1000 | <1 ppm |
| Ethyl Acetate | 400 | <1 ppm | Ethyl Benzene | 30 | <1 ppm |
| Ethyl Ether | 500 | <1 ppm | Ethyl Formate | 500 | <500 ppm |
| Ethylene Glycol | 50 | <50 ppm | Ethylene Oxide | 1 | <1 ppm |
| Formic Acid | 250 | <250 ppm | Methyl Isobutyl Ketone | 500 | <500 ppm |
| Isobutanol (2-Methyl-1-Propanol) | 500 | <500 ppm | Tert-Butylmethyl Ether (MTBE) | 500 | <500 ppm |
| Isopropyl Acetate | 310 | <1 ppm | Isobutyl Acetate | 5000 | <500 ppm |
| Methylene Chloride | 1 | <1 ppm | Methanol | 250 | 1.484 ppm |
| Methyl-t-butyl ether | 5000 | <500 ppm | Isopropylbenzene (Cumene) | 50 | <50 ppm |
| N,N-Dimethylformamide | 10 | <5 ppm | Pyridine | 5 | <3 ppm |
| n-Hexane | 50 | <1 ppm | Methyl Acetate | 500 | <500 ppm |
| o-Xylene | 150 | <1 ppm | p- and m-Xylene | 150 | <1 ppm |
| Propyl Acetate | 500 | <500 ppm | Methylethylketone | 300 | <1 ppm |
| Tetrahydrofuran | 250 | <1 ppm | Propane | 1000 | <25 ppm |
| Toluene | 150 | <1 ppm | Methylpropane | 500 | <1 ppm |
| Total Xylenes | 150 | <150 ppm | Heptane | 500 | <1 ppm |
| Trichloroethylene | 1 | <1 ppm | Pentane | 600 | <7 ppm |
| Triethylamine | 500 | <500 ppm | | | |

Quality Control performed by Shea Hamilton 9/1/2022

Disclaimer: This Certificate of Analysis contains specifications and results provided by contract laboratories external to True Terpenes. This document does not relieve the purchaser from conducting their own tests in order to verify the suitability of this product for its application and to comply with all relevant legal requirements for any goods into which this product is incorporated. Botanically derived and/or synthetic compounds found in this product may contain trace compounds which can potentially result in a slight variance between lots. True Terpenes certifies that this product is not derived from cannabis nor does it contain any cannabinoids or other cannabis-derived extracts.