

CERTIFICATE OF ANALYSIS

DATE ISSUED: 02/23/2024



IDENTIFICATION

PRODUCT NAME	GG#4
PRODUCT DESIGNATION	Proprietary Terpene Blend – Live Resin
TRUE TERPENES PRODUCT #	TTL-RS-GG4-22
FINISHED GOOD LOT #	24021609
RECOMMENDED USE BY DATE	August 2024
CAS #	Mixture
EC #	Mixture
MANUFACTURING DATE	2/16/2024

PARAMETER	SPECIFICATION	RESULT
APPEARANCE	CLEAR, COLORLESS TO PALE YELLOW LIQUID	PASSES VISUALLY
ODOR	WARM, WOODY, SWEET GAS, LEMON-LIME ZEST	PASSES SENSORY
CANNABINOIDS	< 0.3% TOTAL THC	PASSES TESTING
HEAVY METALS	PASSES TESTING	PASSES TESTING
PESTICIDES	PASSES TESTING	PASSES TESTING
RESIDUAL SOLVENTS	PASSES TESTING	PASSES TESTING

ADDITIONAL PRODUCT INFORMATION:

Storage Conditions:

Stable when stored in its original container securely tightened and away from heat, open flames, sunlight, combustible materials and hot surfaces. Store in a cool, dry, and well-ventilated place.

Potency (%)

Analyte	Max Allowed	LOQ	Result	Analyte	Max Allowed	LOQ	Result
Δ9-THC	-	0.07	< LOQ	THCA	-	0.07	< LOQ
CBD	-	0.07	< LOQ	CBDA	-	0.07	< LOQ
CBG	-	0.07	< LOQ	CBGA	-	0.07	< LOQ
CBN	-	0.07	< LOQ	Δ8-THC	-	0.07	< LOQ
Total THC	0.3	0.137	< LOQ	Total Cannabinoids	-	-	0

Heavy Metal Results (ppm)

Analyte	Max Allowed	LOQ	Result	Analyte	Max Allowed	LOQ	Result
Arsenic	0.11	0.0926	< LOQ	Cadmium	0.11	0.0926	< LOQ
Lead	0.11	0.0926	< LOQ	Mercury	0.06	0.0463	< LOQ

Pesticide Results (ppm)

Analyte	Max Allowed	LOQ	Result	Analyte	Max Allowed	LOQ	Result
Abamectin	0.07	0.07	< LOQ	Acephate	0.02	0.02	< LOQ
Acequinocyl	0.03	0.03	< LOQ	Acetamiprid	0.05	0.05	< LOQ
Aldicarb	0.10	0.10	< LOQ	Allethrin	0.10	0.10	< LOQ
Azadirachtin	0.50	0.50	< LOQ	Azoxystrobin	0.01	0.01	< LOQ
Benzovindiflupyr	0.01	0.01	< LOQ	Bifenazate	0.01	0.01	< LOQ
Bifenthrin	0.10	0.100	< LOQ	Boscalid	0.01	0.01	< LOQ

trueterpenes.com

(888) 954-8550

CERTIFICATE OF ANALYSIS

DATE ISSUED: 02/23/2024



Pesticide Results (ppm)								
Analyte	Max Allowed	LOQ	Result	Analyte	Max Allowed	LOQ	Result	
Buprofezin	0.01	0.01	< LOQ	Captan	0.70	0.70	< LOQ	
Carbaryl	0.03	0.03	< LOQ	Carbofuran	0.01	0.01	< LOQ	
Chlorantraniliprole	0.01	0.01	< LOQ	Chlordane	0.10	0.10	< LOQ	
Chlorfenapyr	0.10	0.10	< LOQ	Chlorpyrifos	0.01	0.01	< LOQ	
Clofentezine	0.01	0.01	< LOQ	Clothianidin	0.03	0.03	< LOQ	
Coumaphos	0.01	0.01	< LOQ	Cyantraniliprole	0.01	0.01	< LOQ	
Cyfluthrin	0.40	0.40	< LOQ	Cypermethrin	0.30	0.30	< LOQ	
Cyprodinil	0.01	0.01	< LOQ	Daminozide	0.05	0.05	< LOQ	
Deltamethrin	0.50	0.50	< LOQ	Diazinon	0.01	0.01	< LOQ	
Dichlorvos	0.05	0.05	< LOQ	Dimethoate	0.01	0.01	< LOQ	
Dimethomorph	0.05	0.05	< LOQ	Dinotefuran	0.05	0.05	< LOQ	
Dodemorph	0.05	0.05	< LOQ	Endosulfan Sulfate	0.05	0.05	< LOQ	
α-Endosulfan	0.10	0.05	< LOQ	β-Endosulfan	0.05	0.05	< LOQ	
Ethoprophos	0.01	0.01	< LOQ	Etofenprox	0.01	0.01	< LOQ	
Etoxazole	0.01	0.01	< LOQ	Etridiazole	0.05	0.05	< LOQ	
Fenhexamid	0.10	0.10	< LOQ	Fenoxycarb	0.01	0.01	< LOQ	
Fenpyroximate	0.02	0.02	< LOQ	Fensulfthion	0.01	0.01	< LOQ	
Fenthion	0.01	0.01	< LOQ	Fenvalerate	0.20	0.20	< LOQ	
Fipronil	0.01	0.01	< LOQ	Fonicamid	0.03	0.03	< LOQ	
Fludioxonil	0.01	0.01	< LOQ	Fluopyram	0.01	0.01	< LOQ	
Hexythiazox	0.01	0.01	< LOQ	Imazalil	0.01	0.01	< LOQ	
Imidacloprid	0.01	0.01	< LOQ	Iprodione	0.50	0.50	< LOQ	
Kinoprene	0.05	0.05	< LOQ	Kresoxim-methyl	0.01	0.01	< LOQ	
Malathion	0.01	0.01	< LOQ	Metalaxyl	0.01	0.01	< LOQ	
Methiocarb	0.01	0.01	< LOQ	Methomyl	0.03	0.03	< LOQ	
Methoprene	1.00	1.0	< LOQ	Mevinphos	0.03	0.03	< LOQ	
MGK-264	0.05	0.05	< LOQ	Myclobutanil	0.01	0.01	< LOQ	
Naled	0.10	0.10	< LOQ	Novaluron	0.03	0.03	< LOQ	
Oxamyl	0.50	0.50	< LOQ	Paclobutrazol	0.01	0.01	< LOQ	
Parathion-Methyl	0.03	0.03	< LOQ	Pentachloronitrobenzene (Quintozene)	0.02	0.02	< LOQ	
Permethrin	0.04	0.04	< LOQ	Phenothrin	0.03	0.03	< LOQ	
Phosmet	0.01	0.01	< LOQ	Piperonyl butoxide	0.20	0.20	< LOQ	
Pirimicarb	0.01	0.01	< LOQ	Prallethrin	0.05	0.05	< LOQ	
Propiconazole	0.01	0.01	< LOQ	Propoxur	0.01	0.01	< LOQ	
Pyraclostrobin	0.01	0.01	< LOQ	Pyrethrins	0.03	0.03	< LOQ	
Pyridaben	0.02	0.02	< LOQ	Resmethrin	0.02	0.02	< LOQ	
Spinetoram	0.01	0.01	< LOQ	Spinosad	0.01	0.01	< LOQ	
Spirodiclofen	0.25	0.25	< LOQ	Spiromesifen	0.03	0.03	< LOQ	
Spirotetramat	0.01	0.01	< LOQ	Spiroxamine	0.01	0.01	< LOQ	
Tebuconazole	0.01	0.01	< LOQ	Tebufenozide	0.01	0.01	< LOQ	
Teflubenzuron	0.03	0.03	< LOQ	Tetrachlorvinphos	0.01	0.01	< LOQ	
Tetramethrin	0.05	0.05	< LOQ	Thiacloprid	0.01	0.01	< LOQ	
Thiamethoxam	0.01	0.01	< LOQ	Thiophanate-Methyl	0.03	0.03	< LOQ	
Trifloxystrobin	0.01	0.01	< LOQ					

CERTIFICATE OF ANALYSIS

DATE ISSUED: 02/23/2024



Residual Solvent Results (ppm)

Analyte	Max Allowed	LOQ	Result	Analyte	Max Allowed	LOQ	Result
1-Butanol	5000	10	< LOQ	1-Pentanol	5000	500	< LOQ
1,2-Dichloroethane	1.0	1.0	< LOQ	1,2-Dimethoxyethane	100	1.0	< LOQ
1,4-Dioxane	380	10	< LOQ	2-Butanol	5000	10	< LOQ
2-Butanone (Methylethylketone)	300	5.0	< LOQ	2-Ethoxyethanol	160	10	< LOQ
2-Methyl-1-Propanol	5000	500	< LOQ	2-Methylbutane (Isopentane)	750	10	< LOQ
2-Methylpentane	10	10	< LOQ	2-Propanol (IPA)	500	10	86
2,2-Dimethylbutane	10	10	< LOQ	2,2-Dimethylpropane (Neopentane)	750	10	< LOQ
2,3-Dimethylbutane	10	10	< LOQ	3-Methyl-1-Butanol (Isoamyl Alcohol)	500	500	< LOQ
3-Methylpentane	10	10	< LOQ	Acetic acid	5000	250	< LOQ
Acetone	1500	10	310	Acetonitrile	60	10	< LOQ
Anisole	5000	500	< LOQ	Benzene	1.0	1.0	< LOQ
Butanes	500	10	< LOQ	Butyl acetate	500	500	< LOQ
Chloroform	1.0	1.0	< LOQ	Cyclohexane	3880	10	< LOQ
Dimethyl sulfoxide (DMSO)	5000	25	435	Ethanol	500	10	< LOQ
Ethyl acetate	400	10	< LOQ	Ethyl benzene	70	10	< LOQ
Ethyl ether	500	10	< LOQ	Ethyl formate	5000	500	< LOQ
Ethylene glycol	620	200	< LOQ	Ethylene oxide	1.0	1.0	< LOQ
Formic acid	5000	250	< LOQ	Hexanes	1500	10	114
Isobutyl acetate	5000	500	< LOQ	Isopropyl acetate	310	10	< LOQ
Isopropylbenzene (Cumene)	70	30	< LOQ	Methanol	250	10	< LOQ
Methyl acetate	500	500	< LOQ	Methyl-t-butyl ether	5000	500	< LOQ
Methylene chloride	1.0	1.0	< LOQ	Methylisobutylketone	4500	500	< LOQ
Methylpropane (Isobutane)	500	50	< LOQ	n-Butane	500	10	< LOQ
n-Heptane	500	10	< LOQ	n-Hexane	200	10	114
n-Pentane	500	10	< LOQ	n-Propanol	250	10	< LOQ
N,N-Dimethylacetamide	1090	10	< LOQ	N,N-Dimethylformamide	880	10	< LOQ
Pentanes	750	10	< LOQ	Propane	500	25	< LOQ
Propyl acetate	500	500	< LOQ	Pyridine	100	10	< LOQ
Sulfolane	160	50	< LOQ	Tetrahydrofuran	250	10	< LOQ
Toluene	150	10	< LOQ	Total Residual Solvents	5000	5000	< LOQ
Total Xylenes	430	10	< LOQ	Total Xylenes and Ethyl benzene	430	20	< LOQ
Trichloroethylene	1.00	1.0	< LOQ	Triethylamine	5000	500	< LOQ

Reviewed by Graham Wiklund

Date: 02/23/2024

Disclaimer:

This Certificate of Analysis contains results provided by ISO 17025 certified contract laboratories external to True Terpenes, as well as results determined by validated method in True Terpenes' internal laboratory. This document does not relieve the purchaser from any responsibility for conducting their own tests in order to verify the suitability of this product for their application and to comply with all relevant legal requirements for any goods into which this product is incorporated. Some or all of this product is derived from hemp and may contain cannabinoids or other hemp-derived extracts. The "max allowed" limits in this Certificate of Analysis are reflective of True Terpenes' internal specifications and may not be inclusive of all compound regulations in your region for your finished product type.

The Recommended Use By Date is based on a representative study which has shown stability of color, odor, solvents, and terpene profile throughout the defined period under advised storage conditions. Addition of our product as an ingredient at any point until the recommended use by date should provide a consistent experience. This date is guidance based on optimum storage conditions; exposure to oxygen, light, heat, extreme cold, or other unanticipated conditions may result in degradation of the terpenes prior to the end of the stated recommended use by date. Any directions on the product label to refrigerate during storage should be followed. Botanically derived and/or synthetic compounds found in this product may contain trace compounds which can potentially result in a slight variance between lots.

trueterpenes.com

(888) 954-8550