

CERTIFICATE OF ANALYSIS

DATE ISSUED: 08/13/2024



IDENTIFICATION

PRODUCT NAME	Wedding Cake
PRODUCT DESIGNATION	Proprietary Terpene Blend – Infused Terpene Strain Profile
TRUE TERPENES PRODUCT #	TTP-ID-WED-R3
FINISHED GOOD LOT #	24080608
RECOMMENDED USE BY DATE (RETEST DATE)	February 2026
CAS #	Mixture
EC #	Mixture
MANUFACTURING DATE	8/6/2024
PRODUCT RELEASE DATE	8/12/2024
DENSITY*	0.87 g/mL

PARAMETER	SPECIFICATION	RESULT
APPEARANCE	CLEAR, LIGHT YELLOW LIQUID	PASSES VISUALLY
ODOR	VANILLA, SWEET, CREAM	PASSES SENSORY
HEAVY METALS	PASSES TESTING	PASSES TESTING
PESTICIDES	PASSES TESTING	PASSES TESTING
RESIDUAL SOLVENTS	PASSES TESTING	PASSES TESTING

ADDITIONAL PRODUCT INFORMATION:

Storage Conditions:
Stable when stored in its original container securely tightened and away from heat, open flames, sunlight, combustible materials and hot surfaces. Store in a cool, dry, and well-ventilated place.

Heavy Metal Results (ppm)							
Analyte	Max Allowed	LOQ	Result	Analyte	Max Allowed	LOQ	Result
Arsenic	0.11	0.0988	< LOQ	Cadmium	0.11	0.0988	< LOQ
Lead	0.11	0.0988	< LOQ	Mercury	0.06	0.0494	< LOQ

Pesticide Results (ppm)							
Analyte	Max Allowed	LOQ	Result	Analyte	Max Allowed	LOQ	Result
Abamectin	0.07	0.07	< LOQ	Acephate	0.02	0.02	< LOQ
Acequinocyl	0.03	0.03	< LOQ	Acetamiprid	0.05	0.05	< LOQ
Aldicarb	0.10	0.10	< LOQ	Allethrin	0.10	0.10	< LOQ
Azadirachtin	0.50	0.50	< LOQ	Azoxystrobin	0.01	0.01	< LOQ
Benzovindiflupyr	0.01	0.01	< LOQ	Bifenazate	0.01	0.01	< LOQ
Bifenthrin	0.10	0.10	< LOQ	Boscalid	0.01	0.01	< LOQ
Buprofezin	0.01	0.01	< LOQ	Captan	0.70	0.70	< LOQ
Carbaryl	0.03	0.03	< LOQ	Carbofuran	0.01	0.01	< LOQ
Chlorantraniliprole	0.01	0.01	< LOQ	Chlordane	0.10	0.10	< LOQ
Chlorfenapyr	0.10	0.10	< LOQ	Chlorpyrifos	0.01	0.01	< LOQ
Clofentezine	0.01	0.01	< LOQ	Clothianidin	0.03	0.03	< LOQ
Coumaphos	0.01	0.01	< LOQ	Cyantraniliprole	0.01	0.01	< LOQ
Cyfluthrin	0.40	0.40	< LOQ	Cypermethrin	0.30	0.30	< LOQ
Cyprodinil	0.01	0.01	< LOQ	Daminozide	0.05	0.05	< LOQ
Deltamethrin	0.50	0.50	< LOQ	Diazinon	0.01	0.01	< LOQ
Dichlorvos	0.05	0.05	< LOQ	Dimethoate	0.01	0.01	< LOQ

CERTIFICATE OF ANALYSIS

DATE ISSUED: 08/13/2024



Pesticide Results (ppm)

Analyte	Max Allowed	LOQ	Result	Analyte	Max Allowed	LOQ	Result
Dimethomorph	0.05	0.05	< LOQ	Dinotefuran	0.05	0.05	< LOQ
Dodemorph	0.05	0.05	< LOQ	Endosulfan Sulfate	0.05	0.05	< LOQ
α-Endosulfan	0.10	0.05	< LOQ	β-Endosulfan	0.05	0.05	< LOQ
Ethoprophos	0.01	0.01	< LOQ	Etofenprox	0.01	0.01	< LOQ
Etoxazole	0.01	0.01	< LOQ	Etridiazole	0.05	0.05	< LOQ
Fenhexamid	0.10	0.10	< LOQ	Fenoxycarb	0.01	0.01	< LOQ
Fenpyroximate	0.02	0.02	< LOQ	Fensulfothion	0.01	0.01	< LOQ
Fenthion	0.01	0.01	< LOQ	Fenvalerate	0.20	0.20	< LOQ
Fipronil	0.01	0.01	< LOQ	Flonicamid	0.03	0.03	< LOQ
Fludioxonil	0.01	0.01	< LOQ	Fluopyram	0.01	0.01	< LOQ
Hexythiazox	0.01	0.01	< LOQ	Imazalil	0.01	0.01	< LOQ
Imidacloprid	0.01	0.01	< LOQ	Iprodione	0.50	0.50	< LOQ
Kinoprene	0.05	0.05	< LOQ	Kresoxim-methyl	0.01	0.01	< LOQ
Malathion	0.01	0.01	< LOQ	Metalaxyl	0.01	0.01	< LOQ
Methiocarb	0.01	0.01	< LOQ	Methomyl	0.03	0.03	< LOQ
Methoprene	1.00	1.0	< LOQ	Mevinphos	0.03	0.03	< LOQ
MGK-264	0.05	0.05	< LOQ	Myclobutanil	0.01	0.01	< LOQ
Naled	0.10	0.10	< LOQ	Novaluron	0.03	0.03	< LOQ
Oxamyl	0.50	0.50	< LOQ	Paclobutrazol	0.01	0.01	< LOQ
Parathion-Methyl	0.03	0.03	< LOQ	Pentachloronitrobenzene (Quintozone)	0.02	0.02	< LOQ
Permethrin	0.04	0.04	< LOQ	Phenothrin	0.03	0.03	< LOQ
Phosmet	0.01	0.01	< LOQ	Piperonyl butoxide	0.20	0.20	< LOQ
Pirimicarb	0.01	0.01	< LOQ	Prallethrin	0.05	0.05	< LOQ
Propiconazole	0.01	0.01	< LOQ	Propoxur	0.01	0.01	< LOQ
Pyraclostrobin	0.01	0.01	< LOQ	Pyrethrins	0.03	0.03	< LOQ
Pyridaben	0.02	0.02	< LOQ	Resmethrin	0.02	0.02	< LOQ
Spinetoram	0.01	0.01	< LOQ	Spinosad	0.01	0.01	< LOQ
Spirodiclofen	0.25	0.25	< LOQ	Spiromesifen	0.03	0.03	< LOQ
Spirotetramat	0.01	0.01	< LOQ	Spiroxamine	0.01	0.01	< LOQ
Tebuconazole	0.01	0.01	< LOQ	Tebufozide	0.01	0.01	< LOQ
Teflubenzuron	0.03	0.03	< LOQ	Tetrachlorvinphos	0.01	0.01	< LOQ
Tetramethrin	0.05	0.05	< LOQ	Thiacloprid	0.01	0.01	< LOQ
Thiamethoxam	0.01	0.01	< LOQ	Thiophanate-Methyl	0.03	0.03	< LOQ
Trifloxystrobin	0.01	0.01	< LOQ				

Residual Solvent Results (ppm)

Analyte	Max Allowed	LOQ	Result	Analyte	Max Allowed	LOQ	Result
1-Butanol	5000	10	< LOQ	1-Pentanol	5000	500	< LOQ
1,2-Dichloroethane	1.0	1.0	< LOQ	1,2-Dimethoxyethane	100	1.0	< LOQ
1,4-Dioxane	380	10	< LOQ	2-Butanol	5000	10	< LOQ
2-Butanone (Methylethylketone)	300	5	< LOQ	2-Ethoxyethanol	160	10	< LOQ
2-Methyl-1-Propanol	5000	500	< LOQ	2-Methylbutane (Isopentane)	750	10	< LOQ
2-Methylpentane	10	10	< LOQ	2-Propanol (IPA)	500	10	39.0
2,2-Dimethylbutane	10	10	< LOQ	2,2-Dimethylpropane (Neopentane)	750	10	< LOQ

trueterpenes.com

8210 NE Mauzey Ct, Hillsboro, OR 97124

(888) 954-8550

CERTIFICATE OF ANALYSIS

DATE ISSUED: 08/13/2024



Residual Solvent Results (ppm)

Analyte	Max Allowed	LOQ	Result	Analyte	Max Allowed	LOQ	Result
2,3-Dimethylbutane	10	10	< LOQ	3-Methyl-1-Butanol (Isoamyl Alcohol)	500	500	< LOQ
3-Methylpentane	10	10	< LOQ	Acetic acid	5000	250	< LOQ
Acetone	500	10	13.2	Acetonitrile	60	10	< LOQ
Anisole	5000	500	< LOQ	Benzene	1.0	1.0	< LOQ
Butanes	500	10	< LOQ	Butyl acetate	500	500	< LOQ
Chloroform	1.0	1.0	< LOQ	Cyclohexane	3880	10	< LOQ
Dimethyl sulfoxide (DMSO)	5000	25	< LOQ	Ethanol	500	10	< LOQ
Ethyl acetate	400	10	< LOQ	Ethyl benzene	70	10	< LOQ
Ethyl ether	500	10	< LOQ	Ethyl formate	5000	500	< LOQ
Ethylene glycol	620	200	< LOQ	Ethylene oxide	1.0	1.0	< LOQ
Formic acid	5000	250	< LOQ	Hexanes	10	10	< LOQ
Isobutyl acetate	5000	500	< LOQ	Isopropyl acetate	310	10	< LOQ
Isopropylbenzene (Cumene)	70	30	< LOQ	Methanol	250	10	< LOQ
Methyl acetate	500	500	< LOQ	Methyl-t-butyl ether	5000	500	< LOQ
Methylene chloride	1.0	1.0	< LOQ	Methylisobutylketone	4500	500	< LOQ
Methylpropane (Isobutane)	500	50	< LOQ	n-Butane	500	10	< LOQ
n-Heptane	500	10	< LOQ	n-Hexane	10	10	< LOQ
n-Pentane	500	10	< LOQ	n-Propanol	250	10	< LOQ
N,N-Dimethylacetamide	1090	10	< LOQ	N,N-Dimethylformamide	880	10	< LOQ
Pentanes	750	10	< LOQ	Propane	500	25	< LOQ
Propyl acetate	500	500	< LOQ	Pyridine	100	10	< LOQ
Sulfolane	160	50	< LOQ	Tetrahydrofuran	250	10	< LOQ
Toluene	150	10	< LOQ	Total Residual Solvents	5000	5000	< LOQ
Total Xylenes	150	10	< LOQ	Total Xylenes and Ethyl benzene	430	20	< LOQ
Trichloroethylene	1.0	1.0	< LOQ	Triethylamine	5000	500	< LOQ

Reviewed by Graham Wiklund

Date: 08/13/2024

Disclaimer:

This Certificate of Analysis contains results provided by ISO 17025 certified contract laboratories external to True Terpenes, as well as results determined by validated method in True Terpenes' internal laboratory. This document does not relieve the purchaser from any responsibility for conducting their own tests in order to verify the suitability of this product for their application and to comply with all relevant legal requirements for any goods into which this product is incorporated. True Terpenes certifies that this product is not derived from cannabis nor does it contain any cannabinoids or other cannabis-derived extracts. The "max allowed" limits in this Certificate of Analysis are reflective of True Terpenes' internal specifications and may not be inclusive of all compound regulations in your region for your finished product type.

The Recommended Use By Date is based on a representative study which has shown stability of color, odor, solvents, and terpene profile throughout the defined period under advised storage conditions. Addition of our product as an ingredient at any point until the recommended use by date should provide a consistent experience. This date is guidance based on optimum storage conditions; exposure to oxygen, light, heat, extreme cold, or other unanticipated conditions may result in degradation of the terpenes prior to the end of the stated recommended use by date. Any directions on the product label to refrigerate during storage should be followed. Botanically derived and/or synthetic compounds found in this product may contain trace compounds which can potentially result in a slight variance between lots.

trueterpenes.com

8210 NE Mauzey Ct, Hillsboro, OR 97124

(888) 954-8550