

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Papaya Punch

Infused Terpene Strain Profile

Product Number: TTP-ID-PPCH

Other Identifying Product Numbers: TTP-ID-PPCH-05, TTP-ID-PPCH-30, TTP-ID-PPCH-120, TTP-ID-PPCH-480

1.2. Recommended Use and Restrictions on Use

This product is concentrated and should not be used undiluted. Based on your use of this product, determine appropriate warnings and directions for your products and applications; also determine safety standards and conduct testing. Avoid contact between this undiluted product and skin, eyes, wood surfaces, and fabrics. Keep this undiluted product away from children and pets. Discontinue use if any adverse reaction occurs. This product has not been evaluated for safe use in e-cigarettes, or in any nicotine-containing or smoking-cessation product. Not for use with tobacco or nicotine.

This product is not intended for use by those who are pregnant, nursing, or by those with serious health conditions including but not limited to high blood pressure and diabetes. This product is not intended to diagnose, treat, cure or prevent any disease.

Store in original container, sealed tightly, in a cool, dry place away from sunlight or heat sources. This product should not be used beyond its stated expiry date. Products made with this item should be tested to determine suitable shelf life.

1.3. Details of the Supplier of the Safety Data Sheet

Company: True Terpenes
Address: 8210 NE Mauzey Ct

Hillsboro, OR 97124 USA

Telephone: 888-954-8550

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (INTERNATIONAL) 1+ 703-527-3887



Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Skin Corrosion / Irritation	Category 2	H315	P264, P280, P302+P352, P321, P332+P313, P362
Eye Damage / Irritation	Category 2A	H319	P264, P280, P305+P351+P338, P337+P313
Carcinogenicity	Category 2	H351	P201, P202, P280, P308+P313, P405, P501
Reproductive Toxicity	Category 2	H361	P201, P202, P280, P308+P313, P405, P501
Aspiration Hazard	Category 1	H304	P301+P310, P331, P405, P501
Flammable Liquids	Category 3	H226	P210, P233, P240, P241, P242, P243, P280, P303+P361+P353, P370+P378, P403+P235, P501
Hazardous to the Aquatic Environment (Acute)	Category 1	H400	P273, P391, P501
Hazardous to the Aquatic Environment (Chronic)	Category 1	H410	P273, P391, P501
Acute Toxicity, Oral	Category 4	H302	P270, P280, P301+P312+P330, P501
Acute Toxicity, Inhalation	Category 4	H332	P261, P270, P271, P304+P340+P312, P501
Skin Sensitizer	Category 1	H317	P261, P272, P280, P302+P352, P332+P313, P321, P363, P501

2.2. GHS Label Elements

Pictograms:









Signal Word:

Danger

Flavor is Our Passion. Quality is Our Promise

Third-Party Audited and Certified ISO 9001:2015 & FSSC 22000

Product Number: TTP-ID-PPCH

Page 2 of 16



Classified According to OSHA Hazard Communication Standard (HCS)

Hazard Statements:

Hazard Number	Hazard Statement
H226	Flammable Liquid and Vapor.
H302 + H332	Harmful if swallowed or inhaled
H304	May be fatal if swallowed and enters airway.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



Classified According to OSHA Hazard Communication Standard (HCS)

Precautionary Statements:

Precautionary Number	Precautionary Statement	
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P210	Keep away from heat, sparks and open flame. No smoking.	
P233	Keep container tightly closed.	
P240	Ground container and receiving equipment.	
P241	Use explosion-proof equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing mist or vapors.	
P264	Wash arms, hands and face thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin	
	with water.	
P304+P340+P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	Call a POISON CENTER / doctor if you feel unwell.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do.	
P308+P313	'	
P321	Specific treatment (Wash areas of contact with water.).	
P331	Do NOT induce vomiting.	
P332+P313	If skin irritation occurs: Get medical attention.	
P337+P313	If eye irritation persists: Get medical attention.	
P362	Take off contaminated clothing and wash it before reuse.	
P363	Wash contaminated clothing before reuse.	
P370+P378	In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.	
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents in accordance with local, state, federal and international	
	regulations.	

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.



Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number
Ethyl 2-methylbutyrate	C ₇ H ₁₄ O ₂	130.18 g/mol	7452-79-1
Ethyl Butyrate	C ₆ H ₁₂ O ₂	116.15 g/mol	105-54-4
Myrcene	C ₁₀ H ₁₆	136.23 g/mol	123-35-3
Beta Caryophyllene	C ₁₅ H ₂₄	204.35 g/mol	87-44-5
Benzol	C ₇ H ₈ O	108.14 g/mol	100-51-6
Terpinolene	C ₁₀ H ₁₆	136.23 g/mol	586-62-9
Linalool	C ₁₀ H ₁₈ O	154.24 g/mol	78-70-6
Valencene	C ₁₅ H ₂₄	204.35 g/mol	4630-07-3
Tangerine Terpenes	MIXTURE	MIXTURE	68608-38-8
Hexyl Acetate	$C_8H_{16}O_2$	144.21 g/mol	142-92-7
Ocimene	C ₁₀ H ₁₆	136.23 g/mol	13877-91-3
Orange Terpenes	MIXTURE	MIXTURE	68647-72-3
Benzyl Acetate	C ₉ H ₁₀ O ₂	150.17 g/mol	140-11-4
2-Heptanone	$C_7H_{14}O$	114.19 g/mol	110-43-0
Beta Pinene	C ₁₀ H ₁₆	136.23 g/mol 127-91-3	
Cis-3 Hexenyl Acetate	C ₈ H ₁₄ O ₂	142.2 g/mol 3681-71-8	
Isoamyl Acetate	C ₇ H ₁₄ O ₂	130.18 g/mol	123-92-2

Exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops.

Inhalation: IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause skin irritation. IF SWALLOWED: Immediately call a POSION CENTER or a Physician. Dilute immediately with water or milk. Do not Ingestion:

induce vomiting. Call a physician if necessary.

4.2. Most important Symptoms and Effects, Acute and Delayed

Causes skin irritation. Causes serious eye irritation. Cause damage to organs. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: May cause skin irritation. INHALATION: May cause irritation. INGESTION: May cause nausea, diarrhea.

4.3. Medical Attention or Special Treatment Needed

Specific treatment (Wash areas of contact with water).

Flavor is Our Passion. Quality is Our Promise

Product Number: TTP-ID-PPCH



Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Carbon dioxide, dry chemical, alcohol foam, water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Flammable liquid and vapor. Vapors can flow along surfaces to distant ignition source and flashback. Use water spray to blanket fire, cool fire exposed container, and to flush non-ignited spills or vapors away from fire.

5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Absorb with suitable inert material (vermiculite, dry sand, etc.) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up in original container with lid securely tightened. Store in a cool dry place away from heat, open flame, sunlight, combustible materials, hot surfaces, and other sources of ignition in a secure, preferably flammable, storage area. As with all chemicals, use PPE and wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Empty containers may be hazardous since they retain product residues



Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Benzol	TWA	USA	10 ppm	Workplace Environmental Exposure Levels (WEEL)
Benzyl Acetate	TWA	USA	10 ppm	ACGIH Threshold Limit values (TLV)
Benzyl Acetate	PEL	USA	10 ppm 61 mg/m ³	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
2-Heptanone	TWA	USA	50 ppm	ACGIH Threshold Limit Values (TLV)
2-Heptanone	PEL	USA	50 ppm 235 mg/ m ³	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Beta Pinene	TLV-TWA	USA	20 ppm TWA (listed under Turpentine and selected monoterpenes)	ACGIH - Threshold Limit Values – Time Weighted Averages (TLV-TWA)
Isoamyl Acetate	TWA	USA	50 ppm	ACGIH Threshold Limit Values (TLV)
Isoamyl Acetate	STEL	USA	100 ppm 532 mg/ m ³	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Isoamyl Acetate	PEL	USA	50 ppm 266 mg/ m ³	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2. Exposure Controls

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee

exposures below the Airborne Exposure Limit.

 $Respiratory\ Protection: \quad Normal\ room\ ventilation\ is\ adequate.\ If\ the\ exposure\ limit\ is\ exceeded,\ a\ full$

facepiece respirator with organic vapor cartridge may be worn.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves, PVA or

Nitrile rubber.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory. Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn. Chemical resistant gloves, PVA, or Nitrile rubber. Safety glasses or goggles.



Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Clear, colorless to pale yellow liquid

Physical State: Liquid

Odor: Tropical Fruit Punch, Cheesy, Floral, Juicy, Creamy, Sugary

Odor Threshold: Data not available

pH: Data not available

Melting/Freezing Point: Data not available
Initial Boiling Point/Range: Data not available

Flash Point: Data not available

Evaporation Rate: Data not available

Flammability/Explosive Limits: Data not available

Vapor Pressure: Data not available

Vapor Density: Data not available
Relative Density: 0.883 g/mL at 20 ° C

Solubility: Insoluble in water
Coefficient: Data not available

Partition Coefficient: Data not available
Auto-Ignition Temperature: Data not available
Decomposition Temperature: Data not available

Viscosity: Data not available roperties: Data not available

Explosive Properties: Data not available Oxidizing Properties: Data not available

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

May form flammable/explosive vapour-air mixture.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Direct sunlight, extremely high or low temperatures, heat, sparks, open flame, strong acids and strong bases.

10.4. Hazardous Decomposition Products

Carbon oxides may form upon decomposition.



Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity – Other Information:

LD50, Oral (calculated): 3665 mg/kg

Contains ingredients with unknown oral toxicity.

Skin Corrosion and Irritation:

Causes skin irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (Wash areas of contact with water). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists. Get medical attention.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

May cause an allergic skin reaction. Avoid breathing fumes, mist, vapors, or spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Specific treatment (Wash areas of contact with water.). Wash contaminated clothing before reuse. Dispose of contents in accordance with local, state, federal and international regulations.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Suspected of causing cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Reproductive Toxicity:



Classified According to OSHA Hazard Communication Standard (HCS)

Suspected of damaging fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Specific Target Organ Toxicity from Single Exposure:

Not applicable

Specific Target Organ Toxicity for Repeated Exposure:

Not applicable.

Aspiration Hazard:

May be fatal if swallowed and enters airways. IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Very toxic to aquatic life. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations. Very toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.



Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dispose of contaminated packaging as unused product.

SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 5mL, 30mL, 120mL, 480mL

UN Number: UN2319

Proper Shipping Name: Terpene hydrocarbons, n.o.s.

Hazard Class: 3
Packing Group: III
Hazard Label(s):



14.2. Transportation by Air – International Air Transport Association (IATA)

Sizes: 5mL, 30mL, 120mL, 480mL

UN Number: UN2319

Proper Shipping Name: Terpene hydrocarbons, n.o.s.

Hazard Class: 3 Packing Group: III

Hazard Label(s):



14.3.2 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 5mL, 30mL, 120mL, 480mL

UN Number: UN2319

Proper Shipping Name: Terpene hydrocarbons, n.o.s.

Hazard Class: 3 Packing Group: III

Hazard Label(s):





Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Not listed.

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals Not listed.

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Not listed.

15.5. Massachusetts Right-to-Know Substance List

Ethyl butyrate (CAS # 105-54-4): Present

Benzol (CAS # 100-51-6): Present

Isoamyl Acetate (CAS # 123-92-2): Present

15.6. Pennsylvania Right-to-Know Hazardous Substances

Ethyl butyrate (CAS # 105-54-4): Present

Ethyl 2-methylbutyrate (CAS # 7452-79-1): Present

Benzol (CAS # 100-51-6): Present

Orange Terpenes (CAS # 68647-72-3): Present

Benzyl Acetate (CAS # 140-11-4): Present

Cis-3 Hexenyl Acetate (CAS # 3681-71-8): Present

Isoamyl Acetate (CAS # 123-92-2): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Ethyl butyrate (CAS # 105-54-4): corrosive; flammable - third degree

Ethyl butyrate (CAS # 105-54-4): sn 0862

Ethyl 2-methylbutyrate (CAS # 7452-79-1): Present

Terpinolene (CAS # 586-62-9): flammable - third degree

Terpinolene (CAS # 586-62-9): sn 1785

Benzyl Acetate (CAS # 140-11-4): Present

Flavor is Our Passion. Quality is Our Promise

Product Number: TTP-ID-PPCH



Classified According to OSHA Hazard Communication Standard (HCS)

15.8. California Proposition 65

Myrcene (CAS# 123-35-3): carcinogen, 3/24/2015

15.9. Canada Domestic Substances List / Non-Domestic Substances Lists (DSL/NDSL)

Myrcene (CAS# 123-35-3): Present (DSL)

Ethyl butyrate (CAS # 105-54-4): Present (DSL)

Ethyl 2-methylbutyrate (CAS # 7452-79-1): Present (DSL)

β-Caryophyllene (CAS # 87-44-5): Present (DSL)

Benzol (CAS # 100-51-6): Present (DSL)

Terpinolene (CAS # 586-62-9): Present (DSL)

Linalool (CAS # 78-70-6): Present (DSL)

Valencene (CAS # 4630-07-3): Present (DSL)

Tangerine Terpenes (CAS # 68608-38-8): Present (NDSL)

Hexyl Acetate (CAS # 142-92-7): Present (DSL)

Ocimene (CAS # 13877-91-3): Present (DSL)

Orange Terpenes (CAS # 68647-72-3): Present (DSL)

Benzyl Acetate (CAS # 140-11-4): Present (DSL)

2-Heptanone (CAS # 110-43-0): Present (DSL)

β-Pinene (CAS # 127-91-3): Present (DSL)

Cis-3 Hexenyl Acetate (CAS # 3681-71-8): Present (DSL)

Isoamyl Acetate (CAS # 123-92-2): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

Myrcene (CAS# 123-35-3): Present

Ethyl butyrate (CAS # 105-54-4): Present

Ethyl 2-methylbutyrate (CAS # 7452-79-1): Present

β-Caryophyllene (CAS # 87-44-5): Present

Benzol (CAS # 100-51-6): Present

Terpinolene (CAS # 586-62-9): Present

Linalool (CAS # 78-70-6): Present

Valencene (CAS # 4630-07-3): Present

Flavor is Our Passion. Quality is Our Promise

Product Number: TTP-ID-PPCH

Third-Party Audited and Certified ISO 9001:2015 & FSSC 22000



Classified According to OSHA Hazard Communication Standard (HCS)

Tangerine Terpenes (CAS # 68608-38-8): Present

Hexyl Acetate (CAS # 142-92-7): Present

Ocimene (CAS # 13877-91-3): Present

Orange Terpenes (CAS # 68647-72-3): Present

Benzyl Acetate (CAS # 140-11-4): Present

2-Heptanone (CAS # 110-43-0): Present

β-Pinene (CAS # 127-91-3): Present

Cis-3 Hexenyl Acetate (CAS # 3681-71-8): Present

Isoamyl Acetate (CAS # 123-92-2): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Myrcene (CAS# 123-35-3): 204-622-5

Ethyl butyrate (CAS # 105-54-4): 203-306-4

Ethyl 2-methylbutyrate (CAS # 7452-79-1): 231-225-4

β-Caryophyllene (CAS # 87-44-5): 201-746-1

Benzol (CAS # 100-51-6): 202-859-9

Terpinolene (CAS # 586-62-9): 209-578-0

Linalool (CAS # 78-70-6): 201-134-4

Linalool (CAS # 78-70-6): 245-083-6

Valencene (CAS # 4630-07-3): 225-047-6

Tangerine Terpenes (CAS # 68608-38-8): 639-582-1

Hexyl Acetate (CAS # 142-92-7): 205-572-7

Ocimene (CAS # 13877-91-3): 237-641-2

Ocimene (CAS # 13877-91-3): 249-805-0

Orange Terpenes (CAS # 68647-72-3): 614-678-6

Benzyl Acetate (CAS # 140-11-4): 205-399-7

2-Heptanone (CAS # 110-43-0): 203-767-1

β-Pinene (CAS # 127-91-3): 204-872-5

β-Pinene (CAS # 127-91-3): 245-424-9

Flavor is Our Passion. Quality is Our Promise

Product Number: TTP-ID-PPCH

Third-Party Audited and Certified ISO 9001:2015 & FSSC 22000



Classified According to OSHA Hazard Communication Standard (HCS)

Cis-3 Hexenyl Acetate (CAS # 3681-71-8): 222-960-1

Isoamyl Acetate (CAS # 123-92-2): 204-662-3

SECTION 16: Other Information

16.1. Previous Revisions


Previous revisions of this document are no longer valid.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.
Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.
Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.
Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 1
Flammability: 2
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-06-19



Classified According to OSHA Hazard Communication Standard (HCS)

DISCLAIMER

WARNING

True Terpenes cannot anticipate all conditions under which this information and this product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to stay current with respect to applicable laws and regulatory investigations and findings, and to ensure safe conditions for use, handling, storage and disposal of the product. The user assumes all liability for loss, injury, damage or expense due to unauthorized or improper use, and True Terpenes disclaims all such liability. The information in this sheet was written based on knowledge and experience currently available. To date, True Terpenes has not received any evidence confirming that this product has caused any adverse health consequences. The above information relates only to this product and not to its use in combination with any other material or any particular process, and is designed only as guidance for the handling, use, processing, storage, transportation, and disposal. It should not be considered as a guarantee or quality specification.

True Terpenes has performed no testing on this product in e-cig/vaping applications. Applying heat to a compound or mixture of compounds may promote new product formation by thermal degradation. New products could include harmful or potentially harmful compounds.

It is the sole responsibility of the individual(s) purchasing this product to assess its safety in the final application. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of True Terpenes' knowledge, based upon current information as of the publish date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own uses, processes, and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users of this product, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Product Number: TTP-ID-PPCH